

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP
PATENT AND TRADEMARK ATTORNEYS
111 MONUMENT CIRCLE, SUITE 3700
INDIANAPOLIS, INDIANA 46204-5137
(317) 634-3456 Fax (317) 637-7561
www.uspatent.com

January 6, 2009

ATTN: Certificate of Correction Branch
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Re: Request for Certificate of Correction of Patent (37 CFR § 1.322)
U.S. Patent No. 7,461,762
Issue Date: December 9, 2008
Title: PUMP DISPENSERS
Inventor(s): Law Brian Robert
Our Ref. No.: 001104-001423

Dear Sir:

A Certificate of Correction of the above-identified patent is respectfully requested to correct certain errors of a clerical or typographical nature or of minor character which appear in the patent as issued.

The exact locations where the errors occur and the necessary corrections are indicated on the attached form PTO/SB/44, which form as prepared is suitable for printing. It is believed that the errors were made on the part of the Patent and Trademark Office. The Information Disclosure Statement containing the correct cited reference, U.S. 5,175,577, was signed off by the Examiner on March 11, 2008. The amendments to the claims are typographical in nature and do not introduce new matter. Therefore, we are not enclosing a remittance fee. However, if any fees are required in order to complete the Certificate of Correction, please charge them to Deposit Account No. 23-3030.

Please send the Certificate to Woodard, Emhardt, Moriarty, McNett & Henry, LLP, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204.

Sincerely yours,

/Charles P. Schmal #45,082/
Charles P. Schmal, Reg. No. 45082
Woodard, Emhardt, Moriarty, McNett & Henry LLP
111 Monument Circle, Suite 3700
Indianapolis, Indiana 46204-5137
Telephone (317) 634-3456 Fax (317) 637-7561
Email: cschmal@uspatent.com

Enclosure

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,461,762
APPLICATION NO.: 10/511,782
ISSUE DATE : December 9, 2008
INVENTOR(S) : Law, Brian Robert

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 2, U.S. PATENT DOCUMENTS, please change "6,165,577 A 12/2000 Berger" to
--5,175,577 A 11/1992 Ophardt--

Col. 11, line 17, please change "axially-extended" to --axially-extending--

Col. 12, line 20, please change "portion" to --portions--

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Woodard, Emhardt, Monarty, McNett & Henry LLP
111 Monument Circle, Suite 3700
Indianapolis, IN 46204

~~This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.~~

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.